Mobil Rarus 800 Series

[illegible]

[illegible]

[illegible] Mobil Rarus 800 [illegible] Mobil Rarus 800 [illegible]

[illegible] Mobil Rarus 800 [illegible]

[illegible]

[illegible] Mobil Rarus 800 [illegible]

[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]

[illegible] ExxonMobil [illegible]: www.exxonmobil.com.
[illegible] ExxonMobil [illegible] Esso, Mobil [illegible] ExxonMobil. [illegible] ExxonMobil. [illegible] © 2001 Exxon Mobil Corporation. [illegible]

Mobil Rarus 800

Mobil Rarus 800 Mobil Rarus 800 200 °C Buna N Buna N NBR (36% 30%), Mobil Rarus 800,

Mobil Rarus 800:

- Mobil Rarus 800
-
-
-
-
-

Mobil Rarus 800

Mobil Rarus 800 Series	827	829
ISO	100	150
, ASTM D 445,		
40°C	107	158
100°C	10,1	13,2
, ASTM D 2270,	66	70

ExxonMobil
: www.exxonmobil.com.
ExxonMobil Esso, Mobil ExxonMobil.
ExxonMobil.
© 2001 Exxon Mobil Corporation.

Mobil Rarus 800 Series	827	829
[illegible], ASTM D 974, [illegible]/[illegible]	0,15	0,14
[illegible], ASTM D130, 3 [illegible] 100°[illegible]	1[illegible]	1[illegible]
[illegible], [illegible]. [illegible], ASTM D 665	[illegible].	[illegible].
[illegible], [illegible] I, ASTM D 892	10/0	50/0
[illegible], °[illegible], ASTM D 97	-36	-40
[illegible], °[illegible], ASTM D 92	270	270

[illegible]

[illegible]

The Mobil logotype, the Pegasus design and Delvac are trademarks of ExxonMobil Corporation, or one of its subsidiaries.

[illegible] ExxonMobil
[illegible]: www.exxonmobil.com.
[illegible] ExxonMobil [illegible] Esso, Mobil [illegible] ExxonMobil. [illegible]
[illegible] ExxonMobil. [illegible] © 2001 Exxon Mobil Corporation. [illegible].